

Site	SCR visits	BAS potential	BAS visits	Awaiting BAS labs	Awaiting RAN	RAN visits	RAN goal	Time adjusted goal (%)	% of promised
Maine	300	3	147	.	4	86	125	58.3	68.8
Tufts	351	1	189	2	.	109	112	81.8	97.3
MedStar	367	6	210	6	1	135	150	75.5	90
Duke	268	4	165	1	.	95	150	53.2	63.3
South Carolina	165	.	65	.	.	31	150	17.3	20.7
Florida	260	3	85	2	.	48	150	26.9	32
Atlanta	205	.	172	4	.	104	180	48.9	57.8
New York	190	1	73	.	.	37	100	31.1	37
Northwestern	256	2	179	1	2	92	125	62.4	73.6
Tennessee	82	.	38	.	.	29	150	16.2	19.3
Tulane	35	.	2	.	.	2	150	1.1	1.3
Pennington	206	.	71	4	.	40	190	17.8	21.1
HealthPartners	506	.	317	4	1	211	300	59.5	70.3
Kansas	296	2	153	2	.	94	150	52.6	62.7
Baylor	207	.	81	.	.	42	150	23.5	28
Nebraska	366	7	194	3	2	94	126	62.5	74.6
UT Southwestern	98	.	67	1	.	35	120	24.7	29.2
LA	228	1	115	.	.	69	120	48.6	57.5
Stanford	302	.	121	1	.	69	150	38.6	46
Baltimore	160	1	97	1	.	63	100	50.5	63
Cleveland	134	1	70	2	.	38	100	30.5	38
Kaiser	344	.	280	3	4	167	130	103.1	128.5
Denver	214	1	87	1	1	42	65	69.7	64.6
	5540	33	2978	38	15	1732	3243	40.7	53.4


7.1.a Detail on diabetes diagnosis

	M06	M12	M18	M24	M30	M36	M42	M48
Semi-annual visits	1267	-	439 ¹	-		-		-
Diabetes, n (% visits)	31 (2.5)	-	7 (1.6)	-		-		-
Positive A1c and FPG	12	-	4	-		-		-
Positive A1c or FPG, pos. confirmatory	19	-	3	-		-		-
No diabetes, n	1236	-	432	-		-		-
Negative A1c and FPG	1201	-	423	-		-		-
Positive A1c or FPG, neg. confirmatory	35	-	9	-		-		-
Annual visits	-	819 ¹	-	81	-		-	
Diabetes, n (% visits)	-	34 (4.2)	-	1 (1.2)	-		-	
Positive, met 2 criteria	-	12	-	0	-		-	
Positive, met 1 criterion, pos. confirmatory	-	22	-	1	-		-	
No diabetes, n	-	785	-	80	-		-	
All 3 criteria negative	-	742	-	78	-		-	
Met 1 criterion, neg. confirmatory	-	43	-	2	-		-	
Outside of study events by adjudication ²		2						

¹ Number excludes participants who have reached the *diabetes outcome* [by D2d criteria or adjudication].


² If diabetes outcome was adjudicated before stated interval, it is shown under stated interval. For example, adjudicated outcomes between the M06 and M12 visits are shown under M12. Longitudinal analyses (when conducted) will be based on “time-to-event.”

Cumulative Percent of Randomization Goal Achieved Through March 2nd




Missed visits

Study-wide = 3.6%




% inactive and withdrawn participants




Includes only randomized participants. Labels are number of participants (inactive; withdrawn).

Randomizations by Site




Study-Wide Randomizations per Month




The SAS System

Site	Monthly RAN goal	RAN goal	SCR visits	BAS visits	RAN visits	SCR:RAN ratio	Time adjusted goal (%)	3/2016 SCR visits	3/2016 BAS visits	3/2016 RAN visits	3/2016 SCR:RAN ratio	3/2016 RAN goal(%)	2/2016 SCR visits	2/2016 BAS visits	2/2016 RAN visits	2/2016 SCR:RAN ratio	2/2016 RAN goal(%)
Maine	5.2	125	300	147	86	3.5	58.3	1	.	.	.	.	15	9	7	2.1	135
Tufts	4.7	112	351	189	109	3.2	81.8	1	.	.	.	.	13	7	6	2.2	128
MedStar	6.3	150	367	210	135	2.7	75.5	.	1	.	.	.	12	11	4	3	63
Duke	6.3	150	268	165	95	2.8	53.2	.	.	.	.	.	7	3	3	2.3	48
South Carolina	6.3	150	165	65	31	5.3	17.3	.	.	.	.	.	1	.	.	.	.
Florida	6.3	150	260	85	48	5.4	26.9	1	.	.	.	.	15	5	2	7.5	32
Atlanta	7.5	180	205	172	104	2	48.9	.	.	.	.	.	8	8	6	1.3	80
New York	4.2	100	190	73	37	5.1	31.1	.	.	.	.	.	.	1	1	.	24
Northwestern	5.2	125	256	179	92	2.8	62.4	.	.	.	.	.	11	8	3	3.7	58
Tennessee	6.3	150	82	38	29	2.8	16.2	.	.	.	.	.	.	.	.	.	.
Tulane	6.3	150	35	2	2	17.5	1.1	.	.	.	.	.	.	.	.	.	.
Pennington	7.9	190	206	71	40	5.2	17.8	.	.	.	.	.	14	6	2	7	25
HealthPartners	12.5	300	506	317	211	2.4	59.5	7	1	1	7	8	46	14	14	3.3	112
Kansas	6.3	150	296	153	94	3.1	52.6	.	1	1	.	16	20	4	1	20	16
Baylor	6.3	150	207	81	42	4.9	23.5	.	.	.	.	.	.	1	1	.	16
Nebraska	5.3	126	366	194	94	3.9	62.5	2	.	1	2	19	34	12	6	5.7	113
UT Southwestern	5	120	98	67	35	2.8	24.7	.	.	.	.	.	3	2	1	3	20
LA	5	120	228	115	69	3.3	48.6	.	.	.	.	.	2	1	1	2	20
Stanford	6.3	150	302	121	69	4.4	38.6	3	1	.	.	.	9	1	1	9	16
Baltimore	7.7	100	160	97	63	2.5	50.5	.	.	.	.	.	6	4	4	1.5	52
Cleveland	7.7	100	134	70	38	3.5	30.5	.	.	.	.	.	5	5	1	5	13
Kaiser	10	130	344	280	167	2.1	103.1	4	2	.	.	.	44	15	13	3.4	130
Denver	5.4	65	214	87	42	5.1	69.7	2	.	.	.	.	12	8	5	2.4	93
	138.3	.	5540	2978	1732	3.2	40.7	21	6	3	7	2	277	125	82	3.4	59

Randomizations By Site - Last 6 Months



Cumulative Screening and Randomization Visits by Month



Biorespository Consent

Site	Total RAND	Biorespository Consent (%)	DNA Consent (%)
Atlanta	104	96%	95%
Baltimore	63	94%	92%
Baylor	42	93%	93%
Beth Israel Medical Center	37	86%	86%
Cleveland	38	97%	95%
Denver VA	30	100%	100%
Duke	95	83%	80%
Florida	48	98%	94%
HealthPartners	211	89%	87%
Kaiser	167	92%	90%
LA	69	88%	88%
Maine	86	92%	92%
South Carolina	31	74%	74%
MedStar	135	89%	84%
Northwestern	92	93%	88%
Omaha VA	64	91%	91%
Pennington	40	88%	85%
Stanford	69	94%	93%
Truman	9	78%	78%
Tufts	109	96%	96%
UC Denver	12	100%	100%
Kansas	85	81%	81%
Nebraska (UNMC)	30	87%	80%
Tennessee	29	62%	59%
UT Southwestern	35	100%	100%
Overall	1732	90%	88%

Demographics of Randomized Participants

	Total	Male	Hispanic or Latino	White	Black or African American	Asian	American Indian or Alaska Native	Native Hawaiian or Other Pacific Islander	Other
Site									
Atlanta	104	97	3	18	82	2	1	0	1
Baltimore	63	21	0	12	48	2	0	0	1
Baylor	42	14	14	23	15	0	2	1	1
Beth Israel Medical Center	37	17	14	19	13	3	0	0	2
Cleveland	38	27	4	24	10	3	0	0	1
Denver VA	30	27	6	24	4	0	2	0	0
Duke	95	44	2	47	43	5	0	0	0
Florida	48	18	8	39	5	1	0	0	3
HealthPartners	211	126	5	190	11	7	1	0	2
Kaiser	167	91	14	139	6	11	1	0	10
LA	69	9	65	65	2	2	0	0	0
Maine	86	35	1	83	0	0	0	0	3
South Carolina	31	10	0	19	11	1	0	0	0
MedStar	135	69	5	36	93	2	0	2	2
Northwestern	92	56	4	65	22	5	0	0	0
Omaha VA	64	62	2	53	7	1	1	0	2
Pennington	40	18	1	24	14	2	0	0	0
Stanford	69	44	3	38	3	26	0	0	2
Truman	9	5	1	5	4	0	0	0	0
Tufts	109	56	7	70	30	8	0	0	1
UC Denver	12	9	0	7	5	0	0	0	0
Kansas	85	40	2	64	18	2	0	1	0
Nebraska (UNMC)	30	17	1	25	3	0	0	1	1
Tennessee	29	10	1	10	19	0	0	0	0
UT Southwestern	35	17	9	20	6	6	0	0	3
Overall	1732	939	172	1119	474	89	8	5	35
			9.9%						