

The SAS System

2/3/2016

Site	SCR visits	BAS potential	BAS visits	Awaiting BAS labs	Awaiting RAN	RAN visits	RAN goal	Time adjusted goal (%)	% of promised
Maine	289	6	139	2	1	79	125	55.4	63.2
Tufts	340	3	182	3	.	103	112	79.9	92
MedStar	357	9	202	3	3	131	150	75.8	87.3
Duke	261	2	162	1	.	92	150	53.2	61.3
SouthCarolina	164	.	65	.	.	31	150	17.9	20.7
Florida	244	1	81	1	2	46	150	26.6	30.7
Atlanta	200	.	166	3	3	98	180	47.6	54.4
NewYork	190	4	73	1	.	36	100	31.2	36
Northwestern	246	1	173	2	2	89	125	62.4	71.2
Tennessee	82	.	38	.	.	29	150	16.8	19.3
Tulane	35	.	2	.	.	2	150	1.2	1.3
Pennington	192	1	66	1	1	38	190	17.5	20
HealthPartners	478	.	303	4	3	199	300	58	66.3
Kansas	279	2	148	.	.	92	150	53.2	61.3
Baylor	207	2	80	.	.	41	150	23.7	27.3
Nebraska	342	6	182	.	2	87	126	59.8	69
UTSouthwestern	95	.	65	3	1	34	120	24.8	28.3
LA	226	3	114	.	.	68	120	49.6	56.7
Stanford	293	.	119	.	1	68	150	39.3	45.3
Baltimore	156	1	96	2	2	59	100	50.2	59
Cleveland	129	3	65	.	.	37	100	31.5	37
Kaiser	318	.	265	1	3	156	130	102.2	120
Denver	200	1	79	.	2	37	65	67	56.9
	5323	45	2865	27	26	1652	3243	40.1	50.9


7.1.a Detail on diabetes diagnosis

	M06	M12	M18	M24	M30	M36	M42	M48
Semi-annual visits	1205	-	392 ¹	-		-		-
Diabetes, n (% visits)	26 (2.2)	-	7 (1.8)	-		-		-
Positive A1c and FPG	9	-	4	-		-		-
Positive A1c or FPG, pos. confirmatory	17	-	3	-		-		-
No diabetes, n	1179	-	385	-		-		-
Negative A1c and FPG	1148	-	378	-		-		-
Positive A1c or FPG, neg. confirmatory	30	-	7	-		-		-
Annual visits	-	743 ¹	-	47	-		-	
Diabetes, n (% visits)	-	29 (3.9)	-	0	-		-	
Positive, met 2 criteria	-	10	-	0	-		-	
Positive, met 1 criterion, pos. confirmatory	-	18	-	0	-		-	
No diabetes, n	-	714	-	47	-		-	
All 3 criteria negative	-	673	-	45	-		-	
Met 1 criterion, neg. confirmatory	-	41	-	2	-		-	
Outside of study events by adjudication ²		1						

¹ Number excludes participants who have reached the *diabetes outcome* [by D2d criteria or adjudication].


² If diabetes outcome was adjudicated before stated interval, it is shown under stated interval. For example, adjudicated outcomes between the M06 and M12 visits are shown under M12. Longitudinal analyses (when conducted) will be based on “time-to-event.”

Cumulative Percent of Randomization Goal Achieved Through January 27th




Missed visits

Study-wide = 3.6%




Number of inactive and XΩ'Í0†XΩ participants




Includes only randomized participants.

% inactive and XΩ'İŚołXΩ participants




Includes only randomized participants. Labels are number of participants (inactive; XΩ'İŚołXΩ).

Randomizations by Site




Study-Wide Randomizations per Month




Site	Monthly RAN goal	RAN goal	SCR visits	BAS visits	RAN visits	SCR:RAN ratio	Time adjusted goal (%)	2/2016 SCR visits	2/2016 BAS visits	2/2016 RAN visits	2/2016 SCR:RAN ratio	2/2016 RAN goal(%)	1/2016 SCR visits	1/2016 BAS visits	1/2016 RAN visits	1/2016 SCR:RAN ratio	1/2016 RAN goal(%)
Maine	5.2	125	289	139	79	3.7	55.4	4	1	.	.	.	22	2	.	.	.
Tufts	4.7	112	340	182	103	3.3	79.9	3	.	.	.	.	14	5	2	7	43
MedStar	6.3	150	357	202	131	2.7	75.8	1	1	.	.	.	15	7	1	15	16
Duke	6.3	150	261	162	92	2.8	53.2	.	.	.	.	.	7	4	3	2.3	48
SouthCarolina	6.3	150	164	65	31	5.3	17.9	.	.	.	.	.	.	.	.	.	.
Florida	6.3	150	244	81	46	5.3	26.6	.	1	.	.	.	10	3	1	10	16
Atlanta	7.5	180	200	166	98	2	47.6	2	2	.	.	.	11	9	6	1.8	80
NewYork	4.2	100	190	73	36	5.3	31.2	.	.	.	.	.	.	.	.	.	.
Northwestern	5.2	125	246	173	89	2.8	62.4	1	1	.	.	.	10	9	2	5	38
Tennessee	6.3	150	82	38	29	2.8	16.8	.	.	.	.	.	.	.	.	.	.
Tulane	6.3	150	35	2	2	17.5	1.2	.	.	.	.	.	.	.	.	.	.
Pennington	7.9	190	192	66	38	5.1	17.5	.	.	.	.	.	7	2	.	.	.
HealthPartners	12.5	300	478	303	199	2.4	58	7	1	3	2.3	24	36	15	7	5.1	56
Kansas	6.3	150	279	148	92	3	53.2	2	.	.	.	.	6	1	8	0.8	127
Baylor	6.3	150	207	80	41	5	23.7	.	.	.	.	.	2	.	.	.	.
Nebraska	5.3	126	342	182	87	3.9	59.8	2	.	.	.	.	24	6	3	8	57
UTSouthwestern	5	120	95	65	34	2.8	24.8	.	.	.	.	.	4	3	.	.	.
LA	5	120	226	114	68	3.3	49.6	.	.	.	.	.	3	3	2	1.5	40
Stanford	6.3	150	293	119	68	4.3	39.3	.	.	.	.	.	6	3	3	2	48
Baltimore	7.7	100	156	96	59	2.6	50.2	2	2	.	.	.	9	5	2	4.5	26
Cleveland	7.7	100	129	65	37	3.5	31.5	.	.	.	.	.	4	2	2	2	26
Kaiser	10	130	318	265	156	2	102.2	6	1	2	3	20	39	16	8	4.9	80
Denver	5.4	65	200	79	37	5.4	67	.	.	.	.	.	20	7	4	5	74
	138.3	.	5323	2865	1652	3.2	40.1	30	10	5	6	4	249	102	54	4.6	39

Randomizations By Site - Last 6 Months



Cumulative Screening and Randomization Visits by Month



Biorepository Consent

Site	Total RAN	Biorepository Consent (%)	DNA Consent (%)
Atlanta	98	96%	95%
Baltimore	59	95%	95%
Baylor	41	95%	95%
Beth Israel	36	86%	86%
Cleveland	37	97%	95%
Denver VA	27	100%	100%
Duke	92	84%	80%
Florida	46	98%	93%
HealthPartners	199	88%	86%
Kaiser	156	94%	92%
LA	68	88%	88%
Maine	79	91%	91%
South Carolina	31	74%	74%
MedStar	131	89%	84%
Northwestern	89	93%	88%
Omaha VA	60	90%	90%
Pennington	38	89%	87%
Stanford	68	94%	93%
Truman	8	75%	75%
Tufts	103	96%	96%
UC Denver	10	100%	100%
Kansas	84	81%	81%
Nebraska (UNMC)	27	89%	81%
Tennessee	29	62%	59%
UT Southwestern	34	100%	100%
Overall	1650	90%	89%

Site	Total	Male	Hispanic or Latino	White	Black or African American	Asian	American Indian or Alaska Native	Native Hawaiian or Other Pacific Islander	Other
Atlanta	98	93	3	18	76	2	1	0	1
Baltimore	59	21	0	11	45	2	0	0	1
Baylor	41	14	14	23	14	0	2	1	1
Beth Israel	36	17	13	19	13	3	0	0	1
Cleveland	37	26	4	24	9	3	0	0	1
Denver VA	27	25	6	22	3	0	2	0	0
Duke	92	41	2	47	41	4	0	0	0
Florida	46	16	8	37	5	1	0	0	3
HealthPartners	199	117	5	179	10	7	1	0	2
Kaiser	156	83	13	130	5	10	1	0	10
LA	68	9	64	64	2	2	0	0	0
Maine	79	32	1	76	0	0	0	0	3
South Carolina	31	10	0	19	11	1	0	0	0
MedStar	131	67	5	33	93	1	0	2	2
Northwestern	89	55	4	62	22	5	0	0	0
Omaha VA	60	58	2	49	7	1	1	0	2
Pennington	38	18	1	22	14	2	0	0	0
Stanford	68	44	3	37	3	26	0	0	2
Truman	8	5	1	5	3	0	0	0	0
Tufts	103	54	7	66	28	8	0	0	1
UC Denver	10	7	0	6	4	0	0	0	0
Kansas	84	39	2	63	18	2	0	1	0
Nebraska (UNMC)	27	15	1	22	3	0	0	1	1
Tennessee	29	10	1	10	19	0	0	0	0
UT Southwestern	34	16	9	19	6	6	0	0	3
Overall	1650	892	169	1063	454	86	8	5	34
10.2%									