



Manual of Operations (MOP)

Section 20. End of Study

Table of Contents

20.1 OVERVIEW.....	2
20.2 FINAL VISIT TIMING AND SCHEDULING.....	2
20.3 INACTIVE PARTICIPANTS	3
20.4 FINAL VISIT ACTIVITIES & PARTICIPANT NOTIFICATION	3
20.4.1 Study Pills	3
20.5 POST FINAL VISIT ACTIVITIES	4
20.5.1 Scenario 1: Participant does not need to return for an UNCO visit	4
20.5.2 Scenario 2: Participant needs to return for an UNCO visit	4
20.6 COMMUNICATING D2d STUDY RESULTS TO PARTICIPANTS	5
20.7 DATA ENTRY	5
20.7.1 Study Pill EDC documentation.....	6
20.7.1.1 Participant completes EOS visit.....	6
20.7.1.2 Participant does not complete EOS visit.....	7
20.7.2 Study Completion e-CRF.....	7
20.7.3 Other Scenarios	8
20.8 APPENDICES	10
Appendix 1a EOS Letter to Participant No Diabetes Annual Visit	10
Appendix 1b EOS Letter to Participant No Diabetes Semi-annual Visit	10
Appendix 1c EOS Letter to Participant New Diabetes Annual Visit	10
Appendix 1d EOS Letter to Participant New Diabetes Semi-annual Visit	10
Appendix 1e EOS Letter to Participant Prior Diabetes	10
Appendix 1f EOS Letter to Participant No Encounter.....	10
Appendix 2a EOS Letter to PCP No Diabetes.....	10
Appendix 2b EOS Letter to PCP New Diabetes.....	10
Appendix 2c EOS Letter to Participant Prior Diabetes	10
Appendix 3a EOS Letter to Participant Un-blinding and Glycemia Results (to be finalized later)	10
Appendix 3b EOS Letter to PCP Un-blinding and Glycemia Results (to be finalized later).....	10

20.1 OVERVIEW

The exact end date for D2d cannot be determined in advance because D2d is an event driven trial; per protocol, the study will initiate end-of-study (EOS) procedures in a timely fashion to ensure the *minimum required number* of diabetes events (n=508) is reached.

⇒ When D2d approaches the minimum required number of diabetes events, the Coordinating Center (CC) will notify the sites to begin implementing the EOS procedures outlined in this MOP section. **The next scheduled visit (i.e., semi-annual or annual) following the notification will serve as the EOS visit.** The timing of the notification will afford ample time for all participants to return for their final scheduled visit and complete the confirmatory (UNCO) testing, if needed.

- Every effort must be made to have all participants return for a final visit no matter their status (active and inactive; whether they have met the diabetes outcome or not; whether they take study pills or not).

20.2 FINAL VISIT TIMING AND SCHEDULING

When D2d is within 2 months of reaching its goal of the minimum required number of diabetes events (based on projections from data from the *prior 6 months*), a study-wide announcement will notify sites that all subsequent scheduled visits (i.e., semi-annual or annual) will be considered the EOS visit.

⇒ All participants must be scheduled for their next (and final) in-person visit within 5 months of the announcement


⇒ **IMPORTANT ACTION:** To stay within the timeline, participants who are due for their next in-person visit ~6 months from the announcement *will need to be rescheduled to an earlier time* to ensure timely completion of final/UNCO visits and data entry. For these participants, the interim phone contact should be done earlier to provide an update on end-of-study procedures and re-schedule the next visit, if previously scheduled, to an earlier date. The final visit may fall earlier than the original visit window to allow enough time to receive results from the central laboratory, schedule an UNCO visit (if necessary), and complete data entry promptly.

- o The CC will provide a list to each site of all participants' and when their next in-person visit and phone contact (if the phone contact falls prior to the next in-person visit) is due to assist in scheduling and rescheduling participants.

Participants will be informed that their next scheduled visit will serve as the final scheduled visit when scheduling the visit or during the reminder call. Participants will be reminded of the value of their participation and the importance of returning for a final visit.

The last date for *new* data entry by sites will be *exactly 8 months* after the date the CC notifies the sites to begin implementing the EOS procedures (see figure). Therefore, all visits - including any UNCO visits - must occur as early as possible and sites must enter all data prior to this deadline. The last date for data to be included in the primary analysis will be *exactly 9 months* after the date the CC notifies the sites to begin implementing the EOS procedures.

Figure 1. Timeline of End-of-Study procedures.



20.3 INACTIVE PARTICIPANTS

Every effort should be made to have all “inactive” participants return for a final visit. Efforts to contact inactive participants must be documented in the source documents.

For participants who do not return for a final visit or do not have non-visit contact, sites should document in the source documents why the visit was not completed.

⇒ The “EOS letter to participant no-encounter” (Appendix 1f) should be sent to these participants after the “Last day for site EDC entry” date (see figure 1).

20.4 FINAL VISIT ACTIVITIES & PARTICIPANT NOTIFICATION

The final visit will include **all** activities that occur at the scheduled semi-annual or annual visit (refer to MOP sections 4.6.6 and 4.6.7), including collection of data for non-diabetes outcomes.

20.4.1 Study Pills

The following *modifications* are made in relation to **study pill return and adherence assessment** (see Figure 2).

Note: if the participant has been inactive and did not have study pills dispensed at the last visit, do not dispense pills at EOS visit. Contact the CC to discuss these cases.

- If the participant has **already met** the diabetes outcome:
 - Participant returns the pill bottle.
 - The research staff (coordinator, nurse, or designee) will count the number of pills remaining and the number will be entered in EDC.
 - No new pills will be dispensed and no additional visits are required to confirm the diagnosis of diabetes. *However, an UNCO visit may be required to confirm an abnormal safety laboratory result.*
- If the participant has **not met** the diabetes outcome:
 - Participant returns the pill bottle.
 - The research staff (coordinator, nurse, or designee) will count the number of pills remaining and the number will be entered in EDC.

- The research staff will assign a new pill bottle and the participant is instructed to continue taking the pills until the research staff reports to her the results of the EOS visit (glycemia and safety testing) and whether an UNCO visit is needed.
- During the visit, site staff discusses with the participant the method of returning study pills if an UNCO visit is not required. Options include: return the pills in-person or by mail. If he is not sure whether he can return in-person or he prefers to mail them, provide him with a pre-paid envelope. *The CC will provide sites with the mailers.*

As done throughout the study, inform the participant that you will communicate with him regarding the results of his lab test (and need for UNCO visit) in approximately one week.

At the conclusion of the visit:

- Thank the participant for her contributions to D2d
- Remind her that one more visit (UNCO) may be required (to confirm diagnosis of diabetes or for safety labs).
- Inform her that the letter with the visit results will describe the next steps, which may include a follow-up D2d study.

20.5 POST FINAL VISIT ACTIVITIES

As soon as possible after the final visit, review the lab test results and communicate the following to the participant (document all communication, including attempts):

20.5.1 Scenario 1: Participant does not need to return for an UNCO visit

- Notify participant of glycemia results, per usual procedures.
- Instruct him to stop taking the study pills and return them to the Coordinating Center as previously discussed (either by bringing him back or using the pre-paid envelope).
 - Upon receipt of the pills, the research staff [document in the source documents that study pills were returned.](#)
- Mail “EOS letter to participant” (Appendix 1a-e). The letter will:
 - Inform the participant whether she met the diabetes outcome or not.
 - If applicable, remind participant to return the study pills.
 - Describe next steps.
- Mail “EOS letter to PCP” (Appendix 2a-c). The letter will:
 - Inform the PCP if the participant met the diabetes outcome or not.
 - Thank the PCP for partnering with D2d.
 - Describe the plan for communication regarding:
 - Participant’s glycemic results (HbA1c, FPG, and 2hPG) since joining the study.
 - Participant’s study pill assignment (vitamin D or placebo).
 - Summary of overall study results.

20.5.2 Scenario 2: Participant needs to return for an UNCO visit

Reasons: for safety [see MOP section 14] or glycemic testing [see MOP section 18]

- Notify participant of the need to return for an UNCO visit, per usual procedures.

- B. Schedule UNCO as soon as possible and instruct her to continue taking study pills. Remind her to return the study pills at the UNCO visit.
- C. At the UNCO visit
 - The research staff will count the number of pills returned and the number will be entered in EDC using an UNCO visit folder.
 - No new pills are dispensed and no additional visits are required.
- D. After the UNCO visit:
 - Mail “EOS letter to participant” (Appendix 1a-e, as above).
 - Mail “EOS letter to PCP (Appendix 2a-c, as above).

20.6 COMMUNICATING D2d STUDY RESULTS TO PARTICIPANTS

After the D2d study results for the primary outcome have been analyzed and the manuscript describing the main findings is published, the CC will instruct site staff to:

1. Mail “EOS letter to participant un-blinding and glycemic results” (*Appendix 3a, to be finalized later*). It should also be sent to participants who did not return for an EOS visit or withdrew participation. The letter will:
 - Thank participants for their contributions to D2d.
 - Include a summary of the overall study results and reference to the study’s website.
 - Provide her glycemic (HbA1c, FPG, and 2hPG) and 25(OH)D results since joining the study.
 - Disclose study pill assignment (vitamin D or placebo).
2. Mail “EOS letter to PCP un-blinding and glycemic results” (*Appendix 3b, to be finalized later*). This letter should also be sent to the PCPs of participants who did not return for an EOS visit. The letter will:
 - Include a summary of the overall study results and reference to the study’s website.
 - Provide participant’s glycemic (HbA1c, FPG, and 2hPG) and 25(OH)D results since joining the study.
 - Disclose participant’s study pill assignment (vitamin D or placebo).

Note: the CC will provide site staff with a file for each participant that provides the study pill assignment and all glycemia testing results. This section will be updated with more detailed information as it becomes available.

20.7 DATA ENTRY

It is essential that all data collected at the final encounter (EOS visit and UNCO, if needed) be entered *as soon as possible after the encounter is completed*. Detailed information on how to complete the data entry is below.

20.7.1 Study Pill EDC documentation

Use the following scenarios for guidance, contacting the Coordinating Center with any questions.

20.7.1.1 Participant completes EOS visit

20.7.1.1.a Scenario: participant is *on study pills*, but has already *met the diabetes outcome* at the time of the EOS visit

Study Pill Distribution eCRF is completed as normal, except for the following:

Note: pills are not dispensed in this scenario

Data field	Data entry
Was a bottle of study pills assigned at this visit?	Select "No"
If No, explain:	Enter "EOS visit"

Study Pill Discontinuation eCRF

- Enter the Study Pill Discontinuation date as the EOS visit date.
 - Select "Completed study per protocol."

20.7.1.1.b Scenario: participant is *on study pills* and has *not met the diabetes outcome* at the time of the EOS visit and *requires and returns for a Confirmatory Visit*

Study Pill Distribution eCRF at the scheduled visit is completed as normal

Note: pills are dispensed in this scenario

Study Pill Return – documented in the UNCO folder – completed as normal *with pill count*

Data field	Data entry
Was a bottle of study pills assigned at this visit?	Select "No"
If No, explain:	Enter "EOS"

Study Pill Discontinuation eCRF

Enter the Study Pill Discontinuation date as the UNCO visit date.

- Select "Completed study per protocol."

20.7.1.1.c Scenario: participant is *on study pills* and has *not met the diabetes outcome* at the time of the EOS visit and *does not require a Confirmatory Visit*

Study Pill Distribution eCRF at the scheduled visit is completed as normal

Note: pills are dispensed in this scenario

Study Pill Discontinuation eCRF

- After review of the results and determination that an UNCO is not required, the participant is contacted to inform him of the results and ask him to stop taking the study pills. The Study Pill Discontinuation date is the date the coordinator completed this contact.
 - Select "Completed study per protocol."

20.7.1.2 Participant does not complete EOS visit

- Enter the Study Pill Discontinuation date as the date of the last scheduled encounter as described in 20.7.2. This will be the same date as the Study Completion date.
 - o Select “End of Study not done”

20.7.2 Study Completion e-CRF

The Study Completion e-CRF will be completed after all laboratory result e-mails have been received and data entered into the visit e-CRF as detailed below. The “study completion” date is the date of the *last encounter* (EOS or UNCO).

Date of study completion or early withdrawal:

For participants who have an EOS encounter, enter the “study completion date” as:

- The date of the EOS visit (scheduled visit or non-visit contact for participants absolutely unable to come for a last visit) or
- The date of the post-EOS UNCO visit, if completed.

For participants who do not have an EOS encounter, enter the “study completion date” as:

- The date consent was withdrawn,
- The date of death, or
- The date of last contact when participant data was entered into EDC. Specifically:
 - o In-person visit [scheduled or UNCO]
 - o Non-visit contact
 - o Scheduled interim phone call
 - o Non-scheduled contact [i.e., reporting of AE]

Did participant complete the study per protocol?

Yes = All participants who have a study visit or non-visit contact completed after the CC notifies sites to begin EOS procedures or died prior the last scheduled study visit (see Figure 1).

No = If participant does not have an EOS encounter (visit or non-visit contact) after the CC notifies sites to begin EOS procedures (see Figure 1).

If no, select the primary reason for withdrawal:

Select from the drop-down menu:

Withdrew consent prior to baseline: Do not select as this option is not applicable

Withdrew consent prior to randomization: Do not select as this option is not applicable

Withdrew consent after randomization: Select if the participant withdrew consent


Adverse event: Select **only** if the investigator determines that due to an adverse event, it is not in the best interest of the participant to continue in the study.

EOS visit not done: Select if all other options do not apply.

20.7.3 Other Scenarios

If there are other scenarios not covered in sections 20.7.1 and 20.7.2, please contact the Coordinating Center for guidance.

Figure 2. End-of-Study (EOS) Algorithm. This algorithm will be followed at the last scheduled semi-annual or annual visit, which will also serve as the final (“EOS”) visit.



20.8 APPENDICES

Appendix 1a EOS Letter to Participant No Diabetes Annual Visit

Appendix 1b EOS Letter to Participant No Diabetes Semi-annual Visit

Appendix 1c EOS Letter to Participant New Diabetes Annual Visit

Appendix 1d EOS Letter to Participant New Diabetes Semi-annual Visit

Appendix 1e EOS Letter to Participant Prior Diabetes

Appendix 1f EOS Letter to Participant No Encounter

Appendix 2a EOS Letter to PCP No Diabetes

Appendix 2b EOS Letter to PCP New Diabetes

Appendix 2c EOS Letter to Participant Prior Diabetes

Appendix 3a EOS Letter to Participant Un-blinding and Glycemia Results (to be finalized later)

Appendix 3b EOS Letter to PCP Un-blinding and Glycemia Results (to be finalized later)